



Instructions for *Removing a Fujitsu® Brand Bill Dispenser*

Before You Begin

- Always turn the power to the unit off before you begin.
- Have someone available to help you lift the bill dispenser if necessary.
- Read all instructions first.
- A qualified ICS technician can help ensure these instructions are followed correctly. Contact ICS for support.

Required Tools

- #2 Phillips Screwdriver




Removing the Bill Dispenser

- Open the *Auto Sentry eXP* unit. Bill dispenser is in lower chamber.
- Remove cassette.




Removing the Bill Dispenser

- Loosen wing nut.
- Slide bracket away from dispenser.




Removing the Bill Dispenser

- Slide dispenser and tray out of unit.



Removing the Bill Dispenser

- Remove 2 screws, left & right channels.



LEFT SCREW REMOVED




RIGHT SCREW REMOVED




Removing the Bill Dispenser

- Save screws, nuts and wing nut.





Removing the Bill Dispenser

- Slide dispenser partly out.





Removing the Bill Dispenser

- Disconnect ground wire.





Removing the Bill Dispenser

- Disconnect BDU connector.




Removing the Bill Dispenser

- Disconnect RS232C connector.




Removing the Bill Dispenser

- Disconnect travel chain. Pinch & remove.



Removing the Bill Dispenser

- Travel chain disconnects from fixed link attached to dispenser. Rear view shown.



Removing the Bill Dispenser

- Lift dispenser off tray and remove from unit.



Removing the Bill Dispenser

- To reinstall dispenser, follow instructions in reverse.
 - Extend tray and position dispenser on tray.
 - Connect travel chain.
 - Connect RS232C connector.
 - Connect BDU connector.
 - Connect ground wire.
 - Attach two screws to left and right channels.
 - Slide dispenser and tray into unit.
 - Attach wing nut and slide bracket toward dispenser.
 - Reinsert cassette.
 - Close unit and test.

- Contact ICS Support for more information:
610-881-8001 - Direct
1-800-642-9396 - Toll free
- Information in this presentation is subject to change without notice. Companies, names and data used in examples within the presentation are fictitious unless otherwise noted. No part of this presentation may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose without the express written permission of Innovative Control Systems, Inc.
- ICS is not responsible for damage, bodily harm, loss of business, etc. due to the information contained in this document. Refer to the standard sales agreement and warranty information that came with your ICS product for more details.

Auto Sentry, Lube Master and Tunnel Master are registered trademarks of Innovative Control Systems, Inc.

Touch 'N Clean and Wash Valet are trademarks of Innovative Control Systems, Inc.

Fujitsu is a registered trademark of Fujitsu Limited Corporation, Japan .

DeLaRue is a registered trademark of De la Rue Holdings, plc.

Talaris is a registered trademark of Talaris Holdings Limited.